Missing Wo 50.52



प्राधिकार से प्रकाशित PUBLISHED BY AUTHORITY

पं० 27]

नई दिक्ली, शनिवार, जुलाई 7, 1990 (आषाढ 16, 1912)

No. 27]

NEW DELHI, SATURDAY, JULY 7, 1990 (ASADHA 16, 1912)

इस भाग में भिम्म पृष्ठ संख्या दी जाती है जिससे कि यह आलग संत्रेज़न के रूप में रखा जा सके [Separate paging is given to this Part in order that it may be filed as a separate compilation]

## भाग III—खण्ड 2 [PART III—SECTION 2]

पेटेन्ट कार्यालय द्वारा जारी की गई पेटेन्टों और डिजाइनों से सम्बन्धित अधिसूचनाएं और नोटिस [Notifications and Notices Issued by the Patent Office relating to Patents and Designs]

THE PATENT OFFICE

PATENTS AND DESIGNS

Calcutta, the 30th June 1990

# ADDRESS AND JURISDICTION OF OFFICES OF THE PATENT OFFICE

The Patent Office has its Head Office at Calcutta and Branch Offices at Bombay, Delhi and Madras having territorial jurisdiction on a zonal basis as shown below:—

Patent Office Branch, Todi Estates, III Floor, Lower Parel (West), Bombay-400 013.

The States of Gujarat, Maharashtra, Madhya Pradesh and Goa, the Union Territories of Daman and Diu and Dadra and Nagar Haveli.

Telegraphic address "PATOFFICE"

Patent Office Branch, Unit No. 401 to 405, III floor, Municipal Market Building, Saraswati Marg, Karol Bagh, New Delhi—110 005.

The States of Haryana, Himachal Pradesh, Jammu and Kashmir, Punjab, Rajasthan and Uttar Pradesh and the Union Territories of Chandigarh and Delhi.

Telegraphic address "PATENTOFIC".

Patent Office Branch, 61, Wallajah Road, Madras-600 002.

The States of Andhra Pradesh, Karnataka, Kerala, Tamilnadu, and the Union Territories of Pondicherry, Laccadive, Minicoy and Aminidivi Islands.

Telegraphic address "PATENTOFIS".

Patent Office (Head Office)
"NIZAM PALACE", 2nd M.S.O. Bldg.,
5th, 6th and 7th floor,
234/4, Acharya Jagdish Bose Road,
Calcutta-700 020.

Rest of India.

Telegraphic address "PATENTS"

All applications, notices, statements or other documents or any fees required by the Patents Act, 1970 or the Patents Rules, 1972 will be received only at the appropriate Offices of the Patent Office.

Fees:—The fees may either be paid in cash or may be s. nt by Money Order or Postal Order, payable to the Controller at the appropriate Offices or by Bank Draft or Cheque, payable to the Controller drawn on a scheduled bank at the place where the appropriate office is situated.

पेटेंद कार्यालय

## एकस्व तथा अभिकल्प

कलकत्ता, दिनांक 7 जुलाई 1990

पेटेंट कार्यालय के कार्यालयों के पते एवं क्षेत्राधिकार

पेटेंट कार्यालय का प्रधान कार्यालय कलकत्ता में स्थित है तथा सम्बर्ध, दिल्ली एवं मदास में इसके शास्त्रा कार्यालय हैं, जिनके प्रादेशिक क्षेत्राधिकार जोन के आधार पर निम्न रूप में प्रदर्शित हैं:—

पेटेंट कार्यालय शास्त्रा, टोडी इस्टेट, तीसरा तल, लोअर परेल (पश्चिम) अम्बई-400 013।

गुजरात, महाराष्ट्र तथा मध्य प्रदेश राज्य क्षेत्र एवं संघ शासित क्षेत्र गोआ, दमन तथा दिव एवं बादरा और नगर हवेली।

तार पता—"पेटोफिस"

पेटेंट कार्यालय शाखा, इकाई सं० 401 से 405, तीसरा तल, नगरपालिका बाजार मवन, सरस्वती मार्ग, करोल बाग, नई विक्ती-110 005।

हरियाणा, हिमाचल प्रदेश, जम्मू तथा कश्मीर, पंजाब, राजस्थान तथा उत्तर प्रदेश राज्य क्षेत्रों एवं संघ शासित क्षेत्र चंडीगढ़ तथा दिल्ली। तार पता—''पेटे'टोफिक'' पेटेंट कार्यालय शाखा, 61, वालाजाह रोड, मद्रास-600 002।

आंच्र प्रदेश, कर्नाटक, केरल, तमिलनाडु राज्य क्षेत्र एवं संघ शासित क्षेत्र पाण्डिचेरी, लक्षद्रीप, मिनिकॉय तथा एमिनिदिवि द्वीप।

तार पता--''पेटे'टोफिस''

पेटेंट कार्यालय (प्रधान कार्यालय), निजाम पैलेस, द्वितीय बहुतलीय कार्यालय मवन 5, 6 तथा 7वां तल, 234/4, आचार्य जगदीश बोस रोड, कलकत्ता-700 020।

मारत का अवशेष क्षेत्र

तार पता—''पेटे'टस''

पेटेंट अधिनियम, 1970 या पेटेंट नियम, 1972 में अपेक्षित सभी आवेदन पत्र, सूचनाएं, विवरण या अन्य प्रलेख पेटेंट कार्यालय के केवल उपयुक्त कार्यालय में ही प्राप्त किए जायेंगे।

शुक्क : —शुक्कों की अवायगी या तो नकद की जायगी अथवा उपयुक्त कार्यालय में नियंत्रक को सुगतान योग्य धनादेश अथवा डाक आदेश या जड़ां उपयुक्त कार्यालय स्थित है, उस स्थान के अनुसूचित बैंक से नियंत्रक को सुगतान योग्य बैंक हाफ्ट अथवा चैंक हारा की जा सकती हैं।

#### **CORRIGENDUM**

In the Gazette of India, Part-III, Section-2, dated the 19th May, 1990, in respect of Complete Specification No. 166466 include Class: 201-D; and Int. Class: C 21 b 13/00.

APPLICATION FOR PATENTS FILED AT THE HEAD OFFICE 234/4, ACHARYA JAGADISH BOSE ROAD, CALCUTTA-20

The dates shown in the crescent brackets are the dates claimed under section 135, of the Patents Act, 1970.

## The 23rd May, 1990

423/Cal/90. N.V. Philips' Glocilampenfabrieken. System for recording/reproducing signals on/from a magnetic tape in a cassette.

424/Cal/90. Hitachi Construction Machinery Co. Ltd. Valve Apparatus and Hydraulic Drive System.

425/Cal/90. Westinghouse Electric Corporation. Improvements in or Relating to Apparatus for Impact Testing for Electric Generator Stator Wedge Tightness.

426/Cal/90. Kerr-McGee Chemical Corporation. Electrically Conductive Pigmentary Composites and Method of Producing the same.

427/Cal/90. Luis Perez Barrenechea. Method of Manufacturing of Additives for Concrete from Natural by-Products drived from Sugar Cane.

## The 25th May, 1990

428/Cal/90. Texaco Development Corporation. Conversion Increase of Vacuum Residuums.

429/Cal/90. American Cyanamid Co. Amethod of making organic amines Containing Hydroxy alkyl Carbamati groups. (Divisional dated September 26, 1988).

430/Cal/90. Recktit & Colman of India Ltd. Spraying Device for Removing Dirt Patches on Fabrics.

431/Cal/90. Vossloh-Werke GMBH. Rail Fastening on Concrete Ties or the Like by means of Resilient Tension Clamps.

432/Cal/90. General Electric Company. Variable Voltage Control for an Electric Propulsion System.

433/Cal/90.	Hoechst Aktiengesellschaft. Process for the prepara-	The 28th May, 1990			
	tion of vinyl acetate.	449/Cal/90.	The Lubrizol Corporation. Improved Process for mak-		
434/Cal/90.	American Cyanamid Co. Chemiluminescent Lighting Element.	443/CaD30.	ing substituted Carboxylic, acids and derivatives thereof. [Divisional out of No. 802/Cal/88 date 26th September, 1988.]		
435/Cal/90.	American Cyanamid Co. Chemiluminescent Solution based on Substituted Perylene.	450/Cal/90.	Lama Okovje, Furniture Hinge.		
436/Cal/90.	Leazing Aktiongesellschaft, Apparatus and Method for the Treatment of fibre-Cables.		The 29th May, 1990		
À37/Ca1/90	Ram Prakash Aneja and National Diary Development	451/Cal/90.	Hassan Uddin Faridi. Syasa foetida.		
1377,022,70.	Board. An Apparatus for Manufacturing Continuously 'KHOA' or Concentrated Milk solids Designated as DB Continuous KHOA Making Plant.	452/Cal/90.	Inductotherm Corp. Induction Heating Apparatus and Method.		
	The 28th May, 1990	453/Cal/90.	Hitachi Ltd., Variable-Speed Pumped-Storage System. [Divisional out of No. 339/Cal/87 date April 28th, 1987.]		
438/Cal/90.	N. V. Philips' Glocilampenfabricken Digital Transmission System, Transmitter and Receiver for use in the Transmission System, and Record Carrier Obtained by means of the Transmitter in the form of a Recording	454/Cal/90.	E. I. Du Pont De Nemours and Co., PVP/PARA-ARAMID Fibers and Process for Making them.		
	Device, (Convention date 2nd June 1989 No. 8901402 and 13th February1990 No. 9000338. Both are the Netherlands).	455/Cal/90.	Voest-Alpine Zeltweg Gesellschaft m.b.H., Device for Securing in Position Guide Rails.		
	•		The 30th May, 1990		
439/Cal/90.	Etat Francais, Teledifusion de France S.A., and N. V. Philips' Glocilampenfabricken Digital Transmission System using Subband Coding of a Digital Signal. (Convention date 2nd June 1989 No. 89201408.5 is Europe.)	456/Cal/90.	Complete Combustion of Fuel in Internal Combustion Engines, while in Operation.		
440/Cal/90.	Schlumberger Industries, Inc., Laminated Semicon- ductor Sensor with Vibrating Element and Associated	45 //C81/90.	E. I. Du Pont De Nemours and Co., Cotton/Polyester Fiber Blends and Batts.		
441/57.150	Method and Product	458/Cal/90.	paring Poly (Paraphenylene Terephthalamide) fibers		
441/Cal/yu.	Geradus Anthonius Maria Boots, Package for Transporting and Storing Bulk Goods.	45045 100	Dyeable with Cationic Dyes.		
442/Cal/90.	BWG Butzbacher Weichenbau GmbH, Corss Frog Tip Adjustable Relative to the Wing Rails.	459/Cal/90.	Diaprint S.r.l., Electrochemical Graining of Aluminum or Aluminum Alloy Surfaces.		
			The 31st May, 1990		
443/Cal/90.	E. I. Du Pont De Nemours and Co. Union Carbide Chemicals & Plastics Co. Inc., Refrigeration Com- positions and Process for Using.	460/Cal/90.	BWG Butzbacher Weichenbau GmbH. Device for the Locking of a Switch Blade with a stock Rail.		
444/Cel/90.	E. I. Du Pont De Nemours and Co., Union Carbide Chemicals and Plastics Co. Inc., Compositions for Compression Refrigeration and Method of using them.	461/Cal/90.	Froizvodstvennoe Obiedinenle "Elektros- 10 A h mash" USSR, Drive for a Cold-Rolled Pipe 10 C A h d.		
445/Cal/90.	Proizvodstvennoe Obiedinenie "Elektros- talfyazhmash" Working Stand of Cold Tube-Rolling Mill.	462/Cal/97	Production Objection "Elektros- (), azhmash" USSR. Drive of a Cold Tube-Rolling Mill Stand.		
446/Cal/90.	Boliden Allis, Inc., Apparatus and process for Direct Reduction of Materials in a Kiln.		APPLICATIONS FOR PATENTS FILED AT THE PATENT OFFICE BRANCH, MUNICIPAL MARKET BUILDING, IIIRD FLOOR, KAROL BAGH, NEW DELHI-5		
447/Cal/90.	Proizvodstvennoe Obiedinenie "Elektros- taltyazhmash" USSR, Billet Clamping and Feeding Device of Cold Tuberolling Mill.		The 30th April, 1990		
448/Cal/90.	Minato Co. Ltd., The Green Cross Corporation,	410/Del/90.	Alcan International Ltd., "Shape casting in mouldable media". (Convention date 1st May, 1989) (Canada).		

411/Del/90. Gec Alsthom S.A., "A single hp-Mp internal stator for a

steam turbine with controlled steam conditioning".

Isothiomyanate Vapor-Generating Agent, Germ-Destroying Treatment Method using Isothiocyanate

Vapors and Apparatus Therefor.

	The 2nd May, 1990	The 7th May, 1990				
412/Del/90.	Glaverbel and Fosbel International Ltd, "Ceramic welding process and powder mixture for use in same" (Convention date 25th July, 1989) (U.K.).	429/Del/90.	The Procter & Gamble Co, "Mebeverine dosage form".			
413/Del/90.	Exxon Chemical Patents, Inc, "dynamically vulca- nized alloys having improved stiffness/impact	430/Del/90.	Drexler Technology Corporation, "Deuterium-lithium energy conversion cell".			
45 4 / TD 2 / YD O	balance".	431/Del/90.	Drexler Technology Corporation, "Distributed accumulator for energy convertion."			
4[4/De]/90.	"Harrier" GmbH Gesellschaft für den vertrieb medizinischer und technischer Gerate, "Emulgator- free liquid emulsion and method and device for pro- ducing the emulsion".	432/Del/90.	Jiri Dokoupil, "Process and equipment for the processing of soft, flexible and flat pieces of material".			
415/ <b>Del/90</b> .	Scapa Group PLC, "Jointing of fabric ends". (Convention date 13th May, 1989) (U.K.).	433/Del/90.	Motorola Inc, Self-tuning direct coupled data limiter of a battery saver type paging receiver".			
	The 3rd May, 1990		The 8th May, 1990			
416/Del/90.	UOP, "Improved liquid/liquid catalytic sweetening process".	434/Del/90.	Council of Scientific & Industrial Research, "A process for the synthesis of N-glycyl, N-(L-alanyl-D-isoglutaminyl)-L-Lysyl-N-Alkyl amides possessing high immunostimulant activity".			
417/Del/90.	Mobil Solar Energy Corporation, "System for continuously replenishing melt".	435/Del/90.	Council of Scientific & Industrial Research, "A process for making novel low silver brazing filler alloy for elec-			
418/Del/90.	Motorola Inc, "Frequency synthesizer with an interface controller and buffer memory".		tronics and vacuum tube industries".			
419/Del/90.	Societe De Conseils De Recherches Et D'Applications Scientifiques (S.C.R.A.S), "Thieno-triazolo-diazepine derivatives, a preparation process of the same and therapeutic compositions containing them", (Convention date 13th May, 1989) (U.K.)."	436/Del/90.	Council of Scientific & Industrial Research, "An improved process for the production of electrolytic iron powder from sponge iron fines".			
		437/Del/90.	Atlas Powder Co., "High emulsifier context explosives".			
420/Del/90.	Societe De Conseils De Recherches Et D'Applications Scientifiques (S.C.R.A.S.), "Preparation process of	438/Del/90. 439/Del/90.	Motorola Inc, "Centering multi-level data".			
	thienotriazolo-diazepine derivatives".  The 4th May, 1990		The Procter & Gamble Co., "Coated perfume particles".			
421/Cel/90.	Shriram Institute for Industrial Research, "Terry towels".	440/Del/90.	The Procter & Gamble Co., "Perfume particles for use in cleaning and conditioning compositions".			
422/Del/90.	Bharat Heavy Electricals Ltd, "Coating continuout length with polyamide of uniform thickness."		The 10th May, 1990			
423/Del/90.		441/Del/90.	Motorola Inc, "Bit error rate detection".			
	ber latex threads".	442/IDel/90.	Motorola Inc, "voltage control oscillator with automatic current control".			
424/Del/90.	Amoco Corporation, "Target and background capture methods and apparatus for affinity sassays". [Divisional date 23rd October, 1987].	443/Del/90/	Burlington Industries, Inc. "Cold weather garments". [Divisional date 18th May, 1987].			
425/"De1/90.	Roderick I.L. Guthrie and Hidemasa Nakajima, "Single-use disposable molten metal inclusion sensor".	444/Del/90.	M. Mitravaruna, "An expander for addressable memory of a central processing unit of a computer.			
426/Del/90.	Fu Tai Umbrella Works, Ltd., "Lightly-operating automatic umbrella for preventing false operation".	445/Del/90.	Department of Electronics & Central Road Research Institute A device for measuring the roughness of a			
427/ <b>Del/90</b> .	De La Rue Giori S.A., "Intaglio printing machine for the printing of currency papers".	446/1 <u>Del</u> /90	road surface".  Department of Electronics & Central Road Research			
478/Del/90.	Her Majesty The Queen As Represented by the Minister of National Defence of Her Majesty's Canadian Government, "Foamed nitroparaffin explosive composition".		Institute A device for measuring the roughness of a road surface".			
		447/Del/90.	Punjab Tractors Ltd, "A stationary baler".			

~				1000
I he	11	16	May	1900

448/Del/90. Council of Scientific & Industrial Research, "A process for the preparation of a formulation/system based on suitable polymers useful for controlled release of pesticides in aquatic habitats".

449/Del/90. Council of Scientific & Industrial Research, "A process for the preparation of compounds useful for the treatment of diseases effecting macrophages". [Divisional date 28th April, 1988].

450/Del/90. Nissan Chemical Industries Ltd., "Pyridazinone derivatives and compositions for controlling and/or preventing insect pests".

451/Del/90. Exxon Research & Engineering Co, "Method for spectroscopic analysis of hydrocarbons, and hydrocarbon refining operations using same".

# APPLICATIONS FOR PATENTS FILED AT THE PATENT OFFICE BRANCH, 61, WALLAJAH ROAD, MADRAS-2

#### The 7th May, 1990

344/Mas/90. Fenwick Thomas & R. Ravi. Self Centering Steady.

345/Mas/90. R. Ravi. Hydraulic Bar Feeding attachment.

346/Maa/90. Dr. Nagendra Prasad Komarla Venugopal. A filtermask.

347/Maa/90. Foseco International Limited. Method and apparatus for the treatment of molten metals. (May 5, 1989; Great Britain).

## The 8th May, 1990

348/Maa/90. Javvidi Murali. Flapping Time Q.

349/Maz/90. Cabot Corporation. Carbon black having a high specific surface area.

350/Mas/90. Agustin Garcia Crespo. Double mouth clip.

351/Mas/90. The Dow Chemical Company, Preventing crevice correction of titanium surfaces.

#### The 10th May, 1990

352/Mas/90. Ralph Mullenberg. Tapered clamping arrangement.

353/Maa/90. Bespak PLC. Pump apparatus for biomedical use. (May 11, 1989; Great Britain).

354/Mas/90. Establishments Esser, societe privee a responsabilite limitee. A method and a device for manufacturing a carpet with knotted stitches.

355/Mas/90. The Dow Chemical Company. Depression of the flotation of silica or siliceous gangue in mineral flotation

356/Maa/90. The Dow Chemical Company. Alkylated diaryl oxide monosulfonate collectors useful in the flotation of minerals.

#### The 11th May, 1990

 Puthenveetil Varkey George. A unit load elevating mechanism based on blanketing grip on slope.

358/Mas/90. K. Sundara Murthy. Device which enables vertical shaft kiln to produce quality cement clinker with slac coal as fuel.

359/Mas/90. Shell Internationale Research Maatschapplj B.V. Process for the preparation of hydrocarbons. (May 15, 1989; Great Britain).

360/Maa/90. MAN Gutehoffnungshutte. A Caterpillar-mounted, self-propelled, continuously operating open-cast mining machine.

361/Mas/90. Mc Conway & Troley Corporation. Slackless Drawbar.

#### OPPOSITION PROCEEDINGS

(1)

The Opposition entered by M/s. Union Carbide of India Ltd. to grant of a Patent on the application for Patent No. 165433 as notified in Gazette of India, Part III, Section 2 dated 14th October, 1989 is deemed to have not been launched and a patent has been ordered to be sealed on the application.

(2)

The application for Patent No. 151344 (392/Del/79) made by M/s. New Metal Foundries in respect of which Opposition was entered by the M/s. The Associated Cement Companies Ltd., as notified in Gazette of India, Part III, Section 2 dated the 2nd April, 1983 has been treated as withdrawn and no Patent shall be sealed thereon.

#### PATENTS SEALED

164028 165093 165229 165372 165380 165382 165386 165389 165410 165441 165443 165486 165488 165596

CAL-- 8 MAS-- 6

BOM-NIL

DEL-NIL

#### **AMENDMENT PROCEEDINGS UNDER SECTION 57**

Notice is hereby given that the Santrade Limited, of P.O. Box 321, CH-6002, Luzern, Switzerland, have made an application under Section 57 of the Patents Act, 1970, for amendment of the specification of their application for Patent No. 165813 for "CEMENTED CARBIDE BODY USED PREFERABLY FOR ROCK DRILLING AND MINERAL CUTTING".

The amendments are by way of correction. The application for amendments and the proposed amendments can be inspected free of charge at the Patent Office, 61, Wallajah Road, Madras-600 002 or copies of the same can be had on payment of the usual copying charges. Any person interested in opposing the application for amendments may file a Notice of Opposition on the prescribed Form-30 within 3 months from the date of the Notification at the Patent Office Branch, Madras. If the Written Statement of Opposition is not filed with the Notice of Opposition, it shall be left within one month from the date of filling the said Notice.

RENEWAL FEES PAID								
146212	146640	147164	147683	147715	148351	148632		
148763	148887	148889	149459	150120	150523	150816		
150817	150919	151033	151036	151086	151252	151519		
151785	152007	152435	152600	152628	152648	152679		
152793	153200	153241	153242	153301	153554	153625		
153745	153779	153792	154069	154495	154625	154744		
154752	154753	154789	154929	155209	155274	155303		
156351	156368	156380	156425	156449	156558	156601		
157112	157122	157123	157124	157125	157177	157299		
157445	157471	157475	157476	157477	157565	157657		
157709	157834	157868	157916	157935	157993	158005		
158042	158254	158255	158366	158552	158588	158666		
159132	159553	159758	159926	160088	160098	160100		
160161	160165	160190	160279	160300	160551	160581		
160756	160813	160815	160816	160827	160830	160944		
160945	161128	161211	161487	161760	161845	161877		
161949	162540	162624	162784	163060	163076	163186		
163384	163388	163442	163464	163466	163474	163624		
163650	163657	163671	163824	163902	163913	163914		
163915	163917	164001	164004	164014	164035	164036		
164038	164039	164103	164105	164109	164110	164172		
164180	164279	164334	164415	164416	164460	164490		
164549	164667	164859	165021	165041	165231	165322		
165339	165377	165422.						
CESSATION OF PATENTS								
151829	151831	151832	151833	151839	151840	151846		
151850	151851	151855	151856	151857	151863	151865		
151870	151871	151878	151880	151881	151884	151886		
151888	151897	151898	151899	151903	151906	151907		
151910	151911	151912	151916	151918	151920	151921		
151922	151925	151932	151933	151943	151952	151959		
151960	151968	151971	151972	151978	151980	151981		
149059	156192	157286	158315	161547	161870	162101		
162271	163835	164173	164552.					

#### RESTORATION PROCEEDINGS

(1)

Notice is hereby given that an application was made under Section 60 of the Patents Act, 1970 for the restoration of Patent No. 163379 granted to Vickers Incorporated

for an invention relating to "fluid serve systems"

The patent ceased on the 3rd October, 1989 due to non-payment of renewal fees within the prescribed time and the cessation of the patent was notified in the Gazette of India, Part III, Section 2, dated the 5-5-90.

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32, in duplicate, with the Controller of Patenta, The Patent Office, "Nizam Palace", 2nd M.S.O. Building, 5th, 6th and 7th Floor, 234/4, Acharya Jagadish Bose Road, Calcutta-700 020 on or before the 7th Sept. 1990 under Rule 69 of the Patenta Rules, 1972. A written statement, in triplicate, setting out the nature of the opponent's interest, the facts upon which he bases his case and the relief he seeks, shall be filed with the notice or within one month from the date of the notice. (2)

Notice is hereby given that an application was made under Section 60 of the Patents Act, 1970 for the restoration of Patent No. 163952 granted to Hybritech Incorporated

for an invention relating to "a process for making an improved device for use in a ligand receptor quick assay process".

The patent ceased on the 13th December, 1989 due to non-payment of renewal fees within the prescribed time and the cessation of the patent was notified in the Gazette of India, Part III, Section 2 dated the 5-5-90.

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32, in duplicate, with the Controller of Patents, The Patent Office, "Nizam Palace", 2nd M.S.O. Building, 5th, 6th and 7th Floor, 234/4, Acharya Jagadish Bose Road, Calcutta-700 020 on or before the 7th September, 1990 under Rule 69 of the Patents Rules, 1972. A written statement, in triplicate, setting out the nature of the opponent's interest, the facts upon which he bases his case and the relief he seeks, shall be filed with the notice or within one month from the date of the notice.

(3

Notice is hereby given that an application was made under Section 60 of the Patents Act, 1970 for the restoration of Patent No. 164003 granted to Royal Ordnance PLC

for an invention relating to "riot Control Weapon"

The patent ceased on the 28th December, 1989 due to non-payment of renewal fees within the prescribed time and the cessation of the patent was notified in the Gazette of India, Part III, Section 2 dated the 5-5-90.

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32, in duplicate, with the Controller of Patents, The Patent Office, "Nizam Palace", 2nd M.S.O. Building, 5th, 6th and 7th Floor, 234/4, Acharya Jagadish Bose Road, Calcutta-700 020 on or before the 7th Sept. 1990 under Rule 69 of the Patents Rules, 1972. A written statement, in triplicate, setting out the nature of the opponent's interest, the facts upon which he bases his case and the relief he seeks, shall be filed with the notice or within one month from the date of the notice.

(4)

Notice is hereby given that an application was made under Section 60 of the Patents Act, 1970 for the restoration of Patent No. 163840 granted to Shriram Institute for Industrial Research

for an invention relating to "a process for the preparation of dicetyl peroxy dicarbonate".

The patent ceased on the 8th December, 1989 due to non-payment of renewal fees within the prescribed time and the cessation of the patent was notified in the Gazette of India, Part III, Section 2, dated the 5-5-90.

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32, in duplicate, with the Controller of Patenta, The Patent Office, "Nizam Palace", 2nd M.S.O. Building, 5th, 6th and 7th Floor, 234/4, Acharya Jagadish Bose Road, Calcutta-700 020 on or before the 7th September, 1990 under Rule 69 of the Patents Rules, 1972. A written statement, in triplicate, setting out the nature of the opponent's interest, the facts upon which he bases his case and the relief he seeks, shall be filed with the notice or within one month from the date of the notice.

(5)

Notice is hereby given that an application was made under Section 60 of the Patents Act, 1970 for the restoration of Patent No. 161727 granted to SKF Kugellagerfabriken GmbH

for an invention relating to "mounting device for the bearing box of a spinning or twisting spindle bearing in the spindle rail of machine".

The patent ceased on the 7th May 1989 due to non-payment of renewal fees within the prescribed time and the cossation of the patent was notified in the Gazette of India, Part III, Section 2, dated the 5-5-90.

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32, in duplicate, with the Controller of Patenta, The Patent Office, "Nizam Palace", 2nd M.S.O. Building, 5th, 6th and 7th Floor, 234/4, Acharya Jagadish Bose Road, Calcutta-700020 on or before the 7th September 1990 under Rule 69 of the Patents Rules, 1972. A written statement, in triplicate, setting out the nature of the opponent's interest, the facts upon which he bases his case and the relief he seeks, shall be filed with the notice or within one month from the date of the notice.

(6)

Notice is hereby given that an application was made under Section 60 of the Patents Act, 1970 for the restoration of Patent No. 148642 granted to Ferranti Limited

for an invention relating to "data processing apparatus".

The patent ceased on the 16th March 1989 due to non-payment of renewal fees within the prescribed time and the cessation of the patent was notified in the Gazette of India, Part III, Section 2, dated the 5th May 1990.

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32, in duplicate, with the Controller of Patents, The Patent Office, "Nizam Palace", 2nd M.S.O. Building, 5th, 6th and 7th Floor, 234/4, Acharya Jagadish Bose Road, Calcutta-700020 on or before the 7th September 1990 under Rule 69 of the Patents Rules, 1972. A written statement, in triplicate, setting out the nature of the opponent's interest, the facts upon which he bases his case and the relief he seeks, shall be filed with the notice or within one month from the date of the notice.

(7)

Notice is hereby given that an application was made under Section 60 of the Patents Act, 1970 for the restoration of Patent No. 162118 granted to Rudy Melvin Bowers

for an invention relating to "rod coupling for oil well sucker rods and the like".

The patent ceased on the 30th April 1989 due to non-payment of renewal fees within the prescribed time and the cessation of the patent was notified in the Gazette of India, Part III, Section 2, dated the 5th May 1990.

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32, in duplicate, with the Controller of Patenta, The Patent Office, "Nizam Palace", 2nd M.S.O. Building, 5th, 6th and 7th Floor, 234/4, Acharya Jagadish Bose Road, Calcutta-700020 on or before the 7th September 1990 under Rule 69 of the Patents Rules, 1972. A written statement, in triplicate, setting out the nature of the opponent's interest, the facts upon which he bases his case and the relief he seeka, shall be filed with the notice or within one month from the date of the notice.

(8)

Notice is hereby given that an application was made under Section 60 of the Patents Act, 1970 for the restoration of Patent No. 163552 granted to Shriram Institute for Industrial Research for an invention relating to "a process for polymerization of elefinic monomers such as vinyl halides".

The patent ceased on the 13th December 1989 due to non-payment of renewal fees within the prescribed time and the cessation of the patent was noticed in the Gazette of India, Part III, Section 2, dated the 5th May 1990.

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32, in duplicate, with the Controller of Patenta, The Patent Office, "Nizam Palace", 2nd M.S.O. Building, 5th, 6th and 7th Floor, 234/4, Acharya Jagadish Bose Road, Calcutta-700020 on or before the 7th September 1990 under Rule 69 of the Patents Rulea, 1972. A written statement, in triplicate, setting out the nature of the opponent's interest, the facts upon which he bases his case and the relief he seeks, shall be filed with the notice or within one month from the date of the notice.

(9)

Notice is hereby given that an application was made under Section 60 of the Patents Act, 1970 for the restoration of Patent No. 158914 granted to Chief Controller, Research & Development

for an invention relating to "a gas generating composition and a process for preparing the same".

The patent ceased on the 16th April 1989 due to non-payment of renewal fees within the prescribed time and the ceasation of the patent was notified in the Gazette of India, Part III, Section 2, dated the 5th May 1990.

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32, in duplicate, with the Controller of Patents, The Patent Office, "Nizam Palace", 2nd M.S.O. Building, 5th, 6th and 7th Floor, 234/4, Acharya Jagadish Bose Road, Calcutta-700020 on or before the 7th September 1990 under Rule 69 of the Patents Rules, 1972. A written statement, in triplicate, setting out the nature of the opponent's interest, the facts upon which he bases his case and the relief he seeks, shall be filed with the notice or within one month from the date of the notice.

#### COMPLETE SPECIFICATION ACCEPTED

Notice is hereby given that any person interested in opposing the grant of patents on any of the Applications concerned, may, at any time within four months of the date of this issue or within such further period not exceeding one month applied for on Form 14 prescribed under the Patents Rules, 1972 before the expiry of the said period of four months, give notice to the Controller of Patents on the prescribed Form 15, of such opposition. The written statement of opposition should be filed alongwith the said notice or within one month of its date as prescribed in Rule 36 of the Patents Rules, 1972.

The classifications given below in respect of each specification are according to Indian Classification and International Classification.

A limited number of printed copies of the specifications listed below will be available for sale from the Government of India Book Depot, 8, Kiran Sankar Roy Road, Calcutta, in due course. The price of each specification is Rs. 2/- (postage extra if sent out of India). Requisition for the supply of the printed specifications should be accompanied by the number of the specifications as shown in the following list.

Typed or photo copies of the specifications together with photo copies of the drawings, if any, can be supplied by the Patent Office, Calcutta on payment of the prescribed copying charges which may be ascertained on application to that office. Photo copying charges may be calculated by adding the number of pages in the specification and drawing sheets mentioned below against each accepted specification and multiplying the same by four to get the charges as the copying charges per page are Rs. 4/-.

## स्वीकृत सम्पूर्ण विनिर्देश

एतइद्वारा यह सुचना दी जाती है कि सम्बद्ध आवेदनों में से किसी पर पेटेंट अनुदान का विरोध करने के इच्छुक कोई व्यक्ति, इसके निर्गम की तिथि से 4 महीने या अग्निम ऐसी अवधि जो उक्त 4 महीने की अवधि की समाप्ति के पूर्व पेटेंट नियम, 1972 के तहत विहित प्रपन्न 14 पर आवेदित एक महीने की अवधि से अधिक न हो, के भीतर कभी भी नियंत्रक, एकस्व को ऐसे विरोध की सूचना विहित प्रपन्न 15 पर दे सकते हैं। विरोध सम्बन्धी विश्वित वक्तव्य, उक्त सूचना के साथ अथवा पेटेंट नियम, 1972 के नियम 36 में यथा विहित हसकी विधि के एक महीने के भीतर ही फाइल किए जाने चाहिए।

''प्रत्येक विनिर्देश के संदर्भ में नीचे दिए वर्गीकरण तथा अन्तरराष्ट्रीय वर्गीकरण के अनुक्ष्यं हैं।''

नीचे सूचीगत विनिवैशों की सीमित संख्यक में मुद्रित प्रतियों, भारत सरकार बुक हिपो, 8, किरण शंकर राय होड, कव्यकसा में विक्रय हेतु यथा समय उपत्क्य होगी। प्रत्येक विनिवैश का मूक्य 2-/ रु० है। (यदि भारत के बाहर मेजे जाएं तो खितिरक्त हाक खर्च)। मुद्रित विनिवैश की आपूर्ति हेतु मांग पत्र के साथ निम्नतिश्वित सूची में यथा प्रवर्शित विनिवैशों की संख्या संवाग रहनी चाहिए।

रूपांकन (चित्र आरेखों) की फोटो प्रतियां यदि कोई हों, के साथ विनिर्देशों की टेकित अथवा फोटो प्रतियां की आपूर्ति पेटेंट कार्यालय, कक्षकता डारा विहित लिप्यान्तरण प्रभार (उक्त कार्यालय से पत्र व्यवहार द्वारा सुनिश्चित करने के उपरांत उसकी अदायगी पर की जा सकती है। विनिर्वेश की पृष्ठ संख्या के साथ प्रत्येक स्वीकृत विनिर्वेश के सामने नीचे वर्णित चित्र आरेख कागजों की जोड़कर उसे 4 से गुणा करके; (क्योंकि प्रत्येक पृष्ठ का लिप्यान्तरण प्रभार 4/- 50 है (फोटो लिप्यान्तरण प्रभार का परिकलन किया जा सकता है।

CLASS: 40 B. 166701

Int. Class: B 01 J 23/76.

A PROCESS FOR THE MANUFACTURE OF KETONISATION CATALYST FOR THE CONVERSION OF ETHYL ALCOHOL TO ACETONE.

Applicant: PROJECTS & DEVELOPMENT INDIA LIMITED, P.O. SINDRI, DHANBAD, BIHAR, INDIA

Inventors: 1. DR. RAM BEHARI AWASTHI, 2. ANIRUDHA LAL AGARWAL, 3. SURLA RAMARAO NAIDU, 4. NILANSHU CHANDRA GANGULI.

Application No. 886/Cal/1986 filed December 5, 1986.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office, Calcutta.

#### 12 Claims

An improved process for the manufacture of a Ketonisation catalyst for the conversion of ethyl alcohol to aceton which comprises reacting iron sulphate preferably ferrous sulphate with alkaly carbonate such as sodium carbonate and converting the pricipitated material into a dry cake by air drying to produce iron oxide, thereafter mixing the iron oxide with (i) about equal amount of calcium carbonate and (ii) 4.5 to 5.0 times by weight of zinc oxide, followed by ball milling the said mixture, thereafter combining the ball milling the said mixture, thereafter combining agent such as organic acid preferably acetic acid and forming the mix into desired shape.

Compl. specn. 9 pages

Drgs. Nil.

166702

CLASS: 40 A1 Int. Class: C 01 B 3/02.

DEVICE FOR USE IN A PROCESS FOR THE MANUFACTURE OF A PRODUCT GAS CONTAINING HYDROGEN AND CARBON OXIDE.

Applicant: UHDE GMBH, OF FRIEDRICHUHDESTR 15,4600 DORTMUND 1, FEDERAL REPUBLIC OF GERMANY.


Inventor: HANSDIETER MARSCH.

Application No.: 889/C/1986. filed December 8, 1986.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office, Calcutta.

#### 8 Claims

Device for use in a process for the manufacture of a product gas containing hydrogen and carbon oxide from a feed-gas mixture consisting substantially of hydrocarbons, particularly from natural gas mixed with steam, said device being partitioned by a tubesheet into an upper and a lower chamber, reformer tubes being held by the tubesheet and extending into the lower chamber where such tube is provided with a jacket overpart of its length, characterized in that the tubesheet (2) is designed to serve as distribution chamber for admitting the feedgas mixture to the reformer tubes (18) the tubesheet (2) consisting of two nested hollow bodies (15), (16) interconnected for receiving the feedgas mixture.



... - 10 page:

Dry 3 sheete

2003 394 - 7 14 CF.

166700

Int. Class: C 01 B 7/00, F 23 G 7/00 and F 23 R 3/00.

METHOD AND APPARATUS FOR DISPOSAL OF TOXIC WASTES SPECIFICALLY HALOGENATED HYDROCARBONS BY COMBUSTION.

Applicant: SONEX RESEARCHING US CORPORATION OF THUDSON STREET, ANNAPOLIS, MARYLAND 20401 UNITED STATES OF AMERICA.

Inventor: POURING ANDREW ALEXANDER.

Application No. 891/Cal/1986 filed December 8, 1986

Appropriate Office for Opposition Proceedings (Rule 4 Patents Rules, 1972), Patent Office, Calcutta.

#### 14 Claims

A method for disposing of halogenated hydrocarbon compounds in a piston type internal combustion engine which comprises

- (a) introducing a mixture comprised of at least one halogenated hydrocarbon compound and a sufficient amount of air to provide an oxidizable vapor phase mixture into a combustion chamber of a piston type internal combustion engine, said combustion chamber having a variable volum primary chamber and a fixed volume secondary chamber communicating with said variable volume primary chamber through a passageway therebetween and said fixed volume secondary chamber containing a source of carbon therein.
- (b) Compressing and heating said vapor phase mixture by reducing the volume of said variable volume primary chamber;
- (c) igniting and burning the vapor phase mixture in said combustion chamber and
- (d) discharging the combution reaction products from said cobustion chamber and optionally (c) separating and recovering hydrohalic acid from the combustion reaction products from the combustion chamber.




Fig. 2

Compl. speen. 21 pages

Drgs. 1 sheet

Int. Class: B 03 B 3/00, B 03 D 1/00 & 3/00.

166704

9 Claims

AN IMPROVEMENT IN A MULTISTAGE ARRANGEMENT FOR COUNTERCURRENT WASHING OF SUSPENDED SOLID PARTICLES.

Applicant: (1) AMBERGER KACLINWERKE GMBH, OF GEORG SCHIFFER STR. 70. D-8452 HIRSCHAU, FEDERAL REPUBLIC OF GERMANY. & (2) DYNAMIT NOBEL AG, OF KAISERSTR. 1, D-5210 TROISDORF, FEDERAL REPUBLIC OF GERMANY.

Inventors: (1) ANTON SCHOENGEN, (2) JOHANN HEIN-RICH SCHROEDER, (3) JORG PORSCHEN, (4) FRIEDRICH DONHAUSER.

Application No.: 926/Cal/1986 filed December 18, 1986.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office, Calcutta.

An improvement in a multistage arrangement for counter-current washing of suspended solid particles, preferably crystals, with the help of hydro-cyclones, connected in series or with the help of groups of several hydrocyclones, connected in parallel to one another (both the systems are termed in the follwing as "Hydrocyclone group", for the sake of simplicity), as well as accompanying pumps and sumps and pipe lines for joining the above-mentioned components, in which, the washing liquid is conveyed in a direction in a countercurrent manner, i.e. in a direction which is opposite to the direction of the flow of the suspended solid particles and in which the suspended solid particles are treated by subjecting them to increased pressure and tempeature, where the groups of hydrocyclones (9a to 9f) and the sumps (4 to 4f) with the pumps projecting into them, are accommodated in a common, pressure-resistant and heat-insulated i.e. thermally insulated, container (18), according to the patent or patentapplication 165564 the improvement which the essential components or regions zones of the pipe-lines, being provided outside the pressure-resistant and thermally insulated (heat-insulated) container (18) and being thermally insulated and/or heated by a separate source.




Fig. 1 Compl. specn. 22

RUCKERT.

Drgs. 4 sheets

Int. Class: F 16 K 51/00.

166705

## A SHUT OFF BUTTERFLY VALVE

Applicant: KLEIN, SCHANZLIN & BECKER AKTIEN-GESELLISCHAFT OF POSTFACH 225, JOHANN-KLEIN-STRASSE 9, D-6710, FRANKENTHAL (PFLAZ), FEDERAL REPUBLIC OF GERMANY.

Application No. 14/Cal/1987, filed January 5, 1987.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office, Calcutta.

Inventors: 1. BREIN KLAUS & 2. HEINZ JURGEN

#### 3 Claims

A shut off butterfly valve comprising:

- -a valve housing (2),
- -a peripherally extending clastomer seal (3) arranged in the housing (2).
- —a butterfly valve member (1) including trunnions by which it is centrally nounted in the housing, said seal (3) being formed with a bead (4) for the production of a sealing effect by cooperation with an edge (8 and 9) of the butterfly valve member (1) said bead having a form varying in the peripheral direction thereof,
  - characterized in that
- -the scaling surface (8 and 9) off the butterfly valve member (1) forms a section of a spherical surface,
- —adjacent to the trunnions (7) part-spherical means (8) are provided cooperating with annular beads fitted around the trunnions to provide a continuous scaling action, said partspherical parts (8) tapering to an edge (9).
- -said edge (9) being able to plunge into the bead (4) adjacent to it
- —Whereas the parts, cooperating with the tapering part spherical means (8) of the butterfly valve member (1), of the bead (4) come into sealing engagement with a respectively broader sealing surface (8) of the butterfly valve member (1), such parts of the bead (4) serving to provide for a transition between the annular bead sections (A) adjacent to the trunnions (7) and the bead section (D) designed for the insertion of the butterfly valve member (1) thereinto.




Fig. 1

Compl. specn. 9 pages

Drgs. 2 sheets

CLASS: 34-A

166706

Int. Class: D 02 g 1/00.

A CONTINUOUS MULTIFILAMENT CRIMPED POLY-PROPYLENE YARN SUITABLE FOR USE IN LOOP PILE CARPETING AND PROCESS FOR MAKING THE SAME.

Applicant: E.I. DU PONT DE NEMOURS AND COT, 'ANY, AT WILMINGTON, DELAWARE, UNITED STAT.'S OF AMERICA.

Inventor: THOMAS LARSON NELSON.

Application No. 23/Cal/1987 filed January 08, 1987.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office, Calcutta.

#### 16 Claims

A continuous multifilament crimped polypropylene yarn suitable for use in loop pile carpeting comprising at least one continuous multifilament crimped core yarn and at least one continuous multifila-

ment crimped warp yarn characterized by the filaments of the warp yarn being from 1 to 14% longer than the filament of core yarn.

(Compl. specn. 31 pages

Drgs. 9 sheets)

CLASS: 194-C1.

166707

Int. Class: G 09 g 1/00.

COLOR DISPLAY SYSTEM.

Applicant: RCA LICENSING CORPORATION, OF 2 INDEPENDENT WAY, P.O. BOX2023, PRINCEPTON, NEW JERSEY, 08540, UNITED STATES OF AMERICA.

Inventors: (1) STANLEY BLOOM, (2) ERIC FRANCIS HOCKINGS.

Application No. 56/Cal/1987 filed January 19, 1987.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patents Office, Calcutta.

#### 8 Claims

A color display system including a cathode-ray tube having an electron gun for generating and directing three electron beam along paths toward a screen of said tube, said gun including electrodes comprising a beam-forming region and electrodes for forming a main focusing lens, and said system including a self-converging yoke that produces an astigmatic magnetic deflection field; comprising

electrodes in said electron gun for forming a multipole lens between the beam-forming region and the main focusing lens in each of the electron beam paths, each multipole lens being oriented to provide a correction to an associated electron beam to at least partially compensate for the effect of the astigmatic magnetic deflection field on the associated beam, wherein said electrodes for forming a multipole lens include two electrodes, a first multipole lens electrode and a second multipole lens electrode, said second multipole lens electrode being connected to one of said electrodes for forming a main focussing lens, and said first multipole lens electrode being located between the second multipole lens electrode and the beam-forming region and facing the first multipole lens electrode.




Fig. 1

Compl. specn. 15 pages.

Drgs. 6 sheets

CLASS: 63-I.

166708

Int. Cl.: H 02 k 57/00.

AN INSTALLATION FOR GENERATING ELECTRICITY WITH A GAS TURBINE GENERATOR SYSTEMS.

Applicant: WESTINGHOUSE ELECTRIC CORPORATION, OF WESTINGHOUSE BUILDING, GATEWAY CENTER, PITTSBURGH, PENNSYLVANIA 15222, UNITED STATES OF AMERICA.

Inventors: (1) DAVID HORACE ARCHER, (2) MOHAMMED MUSHTAQ AHMED.

Application No. 57/Cal/1987 filed January 19, 1987.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office, Calcutta.

#### I Claim

An installation for generating electricity with a gas turbine

generator system consisting of a compression unit and a combustion unit; the said system using a gaseous fuel having a low BTU value produced in a gasifier, the discharge of hot exhaust gases therefrom being divided in an expansion unit to operate a generator for the production of electric energies; the said compression unit generating compressed air of which a portion is bled from the system so as to prevent surges in said compression unit by limiting the flow of combustion gases to said expansion unit; wherein the said installation comprises a heat exchanger for heating the air charged to said compression unit to increase the absolute temperature thereof by 5 to 30 percent above ambient temperature using the expanded hot combustion gases from said expansion unit so as to reduce the volume of air from said compression unit that is bled from the system, said expansion unit being connected to a boiler for passing the combustion gases into the boiler to feeding said combustion gases into the heat exchanger, a stem turbine connected to the boiler for receiving steam from the boiler, said compression unit being coupled to said combustion unit for passing a first portion of air thereto and also coupled to a booster compression unit through which a second portion of the air is passed and fed to said gasifier.




Fig. 1
Compl. specn. 13 pages

Drg. 1 sheets

adio buparency wave

CLASS: 206-E.

166709

Complete Specification left on 8th July, 1987.

Mice for Opposition To makings (Rule 4, Patents

Applicant: SHRI KAMALESH DEKA, WHITE HOUSE, CHENIKUTHI, GUWAHATI-781003, ASSAM, INDIA

Inventor: SHRI KAMALESH DEKA.

Application No. 82/Cal/1987 filed January 28, 1987.

auption of the state of the sta




Fig. 3

so that said at least one audio frequency generator and said at least one radio frequency transmitter are actuated by said DC pulses through said solid state switch means.

Compl. specn. 10 pages Provi. specn. 2 pages Drgs. 1 sheets Drgs. Nil

Int. Cl.: H 05 h 15/00

166710

#### PLASMA JET IGNITION APPARATUS.

Applicant: CUMMINS ENGINE COMPANY, INC, OF BOX 3005, COLUMBUS, INDIANA 47202-3005, UNITED STATES OF AMERICA.

Inventor: LUIGI TOZZI.

Application No. 129/Cal/87 filed February 17, 1987.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office, Calcutta.

#### 7 Claims


A plasma ignition apparatus designed for generating plasma and for propelling said plasma from said ignition apparatus, said ignition apparatus comprising:

### means defining a cavity;

a solid plasma medium insert disposed within said cavity;

electrical energy discharge means for generating a low energy electrical discharge in the vicinity of said solid plasma medium insert and for transforming a portion of said solid plasma medium insert into generated plasma radicals within said cavity; and

magenetic field generation means designed and arranged to establish a magnetic field within said cavity, said magnetic field coacting with said generated plasma radicals and creating a propelling force on said generated plasma radicals to move said generated plasma radicals out of said cavity, the generation of said magenetic field being established independently of the current and voltage level of said electrical energy discharge.



Compl. specn. 28 pages

Drgs. 2 shects

#### REGISTRATION OF DESIGNS

The following desing have been registered. They are not open to inspection for a period of two years from the date of registration except as provided for in Section 50 of the Design Act, 1911.

The date shown in the each entry is the date of registration of the design included in the entry.

- Class 1. No. 161670. Microwinelectronix Ltd. of 147 Zone-I, Maharana Pratap Nagar, Bhopal-462011. M.P. India, an Indian Company. "Hot cum cooking oven". December 4, 1989.
- No. 161693, & 161694. Richard D. Bohannan, American, Eriksberg 4038, S-777 00 Smedjebacken, Sweden and Reinar Schmidi, a Danish of Gonas, S-771 00 Ludvika, Sweden. "Indexable insert for thread cutting and slotting". December 12, 1989.
- Class 3. No. 161682. Penonfer Marketing Pvt. Ltd. of G-20, "Everest", 156, Tardeo Road, Bombay-400034, Maharashtra, India. "Top Rail". December 8, 1989.
- Class 3. No. 161720. Sony Kabushiki Kaisha (Also trading as Sony Corporation), a joint Stock Company, 7-35. Kitashinagawa 6-chome, Shinagawa-ku, Tokyo, Japan.
- Class 3. No. 161759. Kabushiki Kaisha Toshiba, 72-Horikawa-Cho, Kawasaki-Shi, Japan. "A Television Receiver". December, 28, 1989.
- Class 3. No. 161889. Chemoleums (P) Ltd. of Thiruneermalai Road, Madras-600044, T.N., India, Indian Company. "Container". February 14, 1990.

Copyright Extended for the Second Period of Five Years.

Nos. 152275 & 154445 Class 1
Nos. 156036, 15446,154531, 155668 & 154881 Class 3
No. 161211 Class 5

Copyright Extended for the Third Period of Five years.

No. 150080 Class 1 No. 161211 Class 5

(R. A. ACHARYA)
Controller General of Patents,
Designs and Trade Marks.